

Early Journal Content on JSTOR, Free to Anyone in the World


This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.



I. Observations upon a Fætus, and the Parts of Generation of a Sheep. In a Letter to the Royal Society, from Mr. Leeuwenhoek, F. R. S. Translated from the Dutch by Dr. Sprengell, F. R. S.

A Certain Butcher kept, about a League from this Town, several young Wethers at Grass, with one Ewe, which within two Years time had twice lamb'd. This Ewe being very fat, he refolv'd to kill; and to this end he brought it to another Pasture just by the Town, where he had several other young Wethers; but it happen'd, that among them there was one young Ram, which he judged to the be about twenty Weeks old; this young Ram cover'd the Ewe in his presence; soon after which the Butcher kill'd the Ram, but left the Sheep about five Days longer in the Pasture before he kill'd it; out of which Sheep's Belly he faid that he cut 28 Pounds of Fat. But observing, upon opening the Ewe, that the Ute-irus was four times bigger than ordinary, he brought the Uterus, with the Ovaria, to me, assuring me, that it was not yet quite five Days since the young Ram had cover'd the Sheep, and that there was no other Ram thereabouts.

This *Uterus* I put in an earthen glaz'd Pan, and cover'd it over, in order to diffect it next Morning, it being pretty late in the Evening when the Butcher brought it me. I then began first to try to penetrate into the Womb from the *Vagina*, with the Point of a

c fmall

small Pair of Scissars, but I found it so close, that I could not enter it, therefore I cut a piece off from the Womb, out of which ran a clear Water, and within it lay the Fætus with all its Coverings. I spread this upon the backlide of a China Tea-Dilh, and finding that it still contained more Water, I made a small Incision to drain it, and to let it dry, that I might obferve it the better. I could plainly see the Vertebræ of the Neck and Back, as also the Joints of its short Tail: I thought likewise that I saw the Eyes. But when it was quite dry, I could not observe its Backbone so well as before, when it was as yet moist, tho the Painter, who made the Draught, and had sharper and younger Eyes than mine, faw the Bones of the Back very distinctly. My Design in drying it was to cut it in small Slices, that then I might the better obferve the inner Parts, for it was fo extremely foft and tender when moist, that with the least Touch its Parts would be diforder'd and confounded. Therefore Lour this Fætus into fifteen Slices, and observ'd them with a Microscope, but could not be very certain what I faw. I thought that I faw the Intestines, as also the Bladder; and coming to the Breast, I fancied that I faw the Heart; but I faw and observ'd, with a great deal of Pleasure, that two Blood-Vessels lay near together in the Brain, and how they were spread into Branches. I had this Fætus drawn as it lay in its Te-See Fig. 1. A B being the Fætus, and ACDEIK and AFGHLK, the Membranes wherewith it was involved, in the manner as I had spread and dried them, wherein the Blood-Vessels, as much as possible, are delineated. Now some Persons might expect, that I should have look'd for the Extremities of the Blood-Vessels: but no, the Blood-Vessels have no end, as I have frequently faid. Besides, they become

become gradually so exquisitely fine, that the Blood which passes thro' them, can exhibit no red Colour to our Eyes; so that there is no tracing them when entring into the Vessels that return the Blood back to the Heart, except in living Animals, where one may see the Blood enter into the returning Vessels. Before the Burcher gave me this *Veerus*, he squeez'd it betwixt his Fingers, and told me that he could feel nothing in it; and this I believe he had done several times before, by which means he tore off the Vessels by which the Fætus was sasten'd to the *Vessels* by which I suppose was the occasion that, upon opening the *Vterus*, the Fætus with its Coverings came so easily forth.

I also took a Draught of the Tuba Fallopiana. See Fig. 2. M NOP. At P, is the imaginary Orifice, which is thought to fuck the Egg from the Ovarium, according to the old abfurd Notion; at M is shewn where the Tuba increases in Bigness, and at Q R the fleshy Substance, which I cut away from the Ute-I then had also cut off the so call'd Ovaria, and the pretended Ova, which latter were much too big to think that they could pass upon Conception thro' the Tubæ Fallopianæ. I therefore took the length of the Fætus with a Pair of Compasses, and measur'd it upon a divided Brass Rule, and this I did also as to its Breadth: I then took the middle Number between these, and multiplied it twice by itself, to bring it to a Cube Number. I next took the Length of the Axis of an Ovum, as it lay in the Ovarium inclos'd in its Membranes, and taking the Cube of that length, and dividing one Cube Number by the other, I found that fuch an Ovum was about feven times bigger that the Fætus, notwithstanding it had had near five Days Growth. I thew'd this Fatus, with its Covertures, to two Physi-

Cc 2

cians and one Surgeon, and I gave them the pretended Ovaria in their Hands, and they agreed, that not one Ovum was missing out of the Ovaria. Then I ask'd them what they thought? how it was possible that fuch an Ovum could pass thro' the Falloppian Tube? Whereupon the one faid, that the Ovarium was quite out of doors, and that it was nothing but some fleshy Substance. But the other faid, that notwithstanding this, all Animals came from an Egg, and the last told me, that he believed that Tube to be neither of a Sheep nor a Lamb; but I shew'd them that it was from an Ewe which at least had lamb'd twice, and yet that the Tube was neither thicker nor wider than the Tube of a Lamb. Here I could observe more than ever, how hard it is to bring Mankind off from their Prejudices, when once they have laid them down as Principles.

After having kept these Ovaria some Days, by which means they were pretty much shrunk in the drying, I order'd them to be drawn, that the Bigness of the Eggs might be observ'd. See Fig. 3. ABCDE is the Ovarium, which was on that side of the Vterus, in which the Fætus had lain. You must observe that the Vterus of a Sheep is divided by a Membrane, fo that the young ones cannot touch one another. DEA is the part where it was fastened. In this Ovarium you may observe a round Protuberance, which is befet with feveral others; this great Protuberance is what is called an Ovum. This Ovarium is not here represented so large, as it was, when I cut it off from the Parts that it grew to. There was besides, one fide of that Ovarium, a large round Body, grown to the Ovarium, which seem'd also to be an Ovum. This is delineated in Fig. 4. F G, on which there appear'd several other little round Bodies protuberant from Now on the other side of the Uterus, there was a

large fleshy prominent Ovum (as it is call'd) which might plainly be observed without a Microscope, whose Bigness is likewise drawn in Fig. 5. at H I, upon which you may likewise observe a smaller round Body, and out of that again other still smaller round Bodies appear protuberant. After I had quite dried these Eggs, represented in Fig. 3, 4 and 5, I still observ'd more and more of the prominent round Bodies upon them, infomuch that upon one of them, I told fixteen round little Bodies, whereof fome, by lofing all their Moisture, were funk in and had a Dent in the middle. Furthermore, I cut these Eggs, with a very fine sharp Knife, into thin Slices, and then observing them with a Microscope, I saw Blood-Vessels in them, and also other forts of Vessels, which I did not take for Blood-Vessels, and among the rest one so big, that a Hair of ones Head might enter it, besides abundance of others exceeding fmall. After many Observations, I could think no otherwise, but that the so call'd Eggs consisted of nothing but Vessels, and that the superfluous Moisture, which was fent to these Eggs, did not circulate (except only what was in the Blood-Vessels) and by overcharging the Vessels did elevate them into these fmall Protuberances, and fometimes bursting them, did thereby leave a Dent in the middle; which Dent having been observ'd by some Persons, they firmly believ'd, that that was the Place where the Ovum was fuck'd out, from whence forung the Fætus. very forry that I did not get this Vterus without irs having been squeez'd, for I do not question, but that I might otherwise have plainly discover'd all the Members of this Fætus, fince I could plainly observe its Backbones even with the naked Eye, and that in a Fxtus not of quite five Days Growth. I hope after this, nobody will pretend to fay, that the Animal in Utero

at the Beginning, is nothing but an unform'd Mass. These Observations I made in the Month of September, 1718.

Delft, June 13.

In the Month of September, 1719. feeling an acute Pain in one of my Feet, at the Joint between the Foot and the little Toe, which I imagined to proceed from the more than usual Thickness of the Callus or hard Skin, upon that part; I caused my Servant, partly with his Nails, and partly with a Penknise, to take off that hard Skin, and let it fall upon a blue Paper, that I had set my Foot upon.

This Callus, or hard Skin, was compos'd of little fealy Shivers lying upon one another, and the whole Piece was as large as a small Nail of a Man's Hand.

I view'd the said Shivers thro' a Microscope, but could not satisfy myself, because they lay so irregularly on each other.

Moreover, I took a little Bit of the aforesaid hard Skin, laid it on a clean Glass-Plate, steep'd it in pure Rain-Water, and gently dividing it with a Piece of a Quill, I was amazed to see into what a vast Number of Particles it separated, and that with as much Readiness, as if they had never been join'd.

Afterwards